

# MATERIAL SAFETY DATA SHEET

## Section 1: IDENTIFICATION

### STORM

**Recommended Use:** High performance floor stripper.  
**Product Code:** 190604 (4x5L), 190605 (15L).

#### Whiteley Industrial

A division of Whiteley Corporation Pty Ltd (A.C.N. 000 906 678)  
 Postal Address: P. O. Box 1076 North Sydney NSW 2059  
 Telephone Number: (02) 9929 9155 Facsimile: (02) 9929 9077  
 Emergency Telephone Number: Poisons Information Centre (National) 131126

## Section 2: HAZARDS

Classified as hazardous by the criteria of NOHSC.

R36/37/38: Irritating to eyes, respiratory system and skin.

## Section 3: COMPOSITION INFORMATION

Ingredient	CAS No	Proportion
Ingredients deemed not to be hazardous	Not applicable	To 100%
Monoethanolamine	141-43-5	<10%
2-butoxyethanol	111-76-2	<10%
Propylene glycol monobutyl ether	5131-66-8	<10%
Dipropylene glycol monomethyl ether	34590-94-8	<10%
Benzyl alcohol	100-51-6	<10%
Ammonia*	1336-21-6	<10%

\* the actual amount of this ingredient is less than 5%.

## Section 4: FIRST AID

<b>Eye (Contact)</b>	Hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.
<b>Skin (Contact)</b>	Remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre or a doctor.
<b>Inhalation(Breathing)</b>	Not volatile at room temperatures.
<b>Ingestion (Swallowing)</b>	DO NOT induce vomiting. For advice, contact a Poisons Information Centre (Phone 131126) or a doctor.
<b>Advice to Doctor</b>	Treat symptomatically.

**First Aid Facilities** Ensure an eye bath and safety shower are available and ready for use.

**Additional Information** No aggravated medical conditions are known to be caused by exposure to this product.

### Section 5: FIREFIGHTING MEASURE

**Suitable Extinguishing Media** Use extinguishing media suited to the materials that are burning. eg. Dry chemical, CO<sub>2</sub> or water spray.

**Hazards From Combustion Products** Carbon dioxide, carbon monoxide and other toxic gases may be produced in the case of fire.

**Precautions For Fire Fighters and Special Protective Equipment** Firefighters should wear full protective clothing including self contained breathing apparatus and chemical splash suit. Ensure that no spillage enters drains or water courses. Remove from the vicinity containers not involved in the fire.

**Additional Information** **Hazchem Code** – Not applicable.

### Section 6: ACCIDENTAL RELEASE MEASURES

**Emergency Procedure** SAA/SNZ HB76: Dangerous Goods – Initial Emergency Response Guide – Not applicable

**Spills / Clean up** Clean up personnel should wear personal protective equipment (see below). Restrict access to area until completion of cleanup. Stop leak if safe to do so. Contain spill with absorbent material, such as sand, vermiculite or other inert material. Prevent spill entering sewers or waterways. Collect and dispose of spilled material according to local regulations. Wash away remnants with copious amounts of cold water. Clean area by working from the periphery to the centre of spill or from the edge of the room to the centre.

### Section 7: HANDLING AND STORAGE

**Precautions for Safe Handling** Contact Whiteley Corporation sales representative for advice when using this product for any application other than that outlined on the label or technical bulletin. Any non-intended or non-authorized use of this product may result in damage or personal injury. Store product in original container. Wash hands and face thoroughly after handling and before work breaks, eating, drinking, smoking and using toilet facilities.

**Conditions for Safe Storage** Store in a cool, dry, well ventilated area away from incompatible materials. Keep container tightly sealed.

### Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

**National Exposure Standards** – Source: National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003].

<u>Ingredient</u>	<u>CAS No</u>	<u>ES-TWA</u>	<u>ES-STEL</u>
2-butoxyethanol	111-76-2	25ppm 121mg/m <sup>3</sup>	-----
Dipropylene glycol monomethyl ether	34590-94-8	100ppm 606mg/m <sup>3</sup>	150ppm 909mg/m <sup>3</sup>
Monoethanolamine	141-43-5	3ppm 7.5mg/m <sup>3</sup>	6ppm 15mg/m <sup>3</sup>

<b>Biological Limit Values</b>	Not available.
<b>Engineering Controls</b>	Ensure adequate ventilation to keep airbourne concentrations below exposure standards. If air contaminant levels exceed exposure limits, respiratory protection is required, see Personal Protective Equipment.
<b>Personal Protective Equipment</b>	Eye/face protection – Safety glasses or chemical resistant goggles should be worn to prevent eye contact. Skin protection – Use rubber gloves to prevent skin contact. Respiratory protection – If necessary, use a suitable respirator.



### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b> Clear pale yellow liquid	<b>Boiling Point</b> approximately 100°C
<b>Odour</b> Characteristic odour	<b>Freezing Point</b> approximately 0°C
<b>pH</b> >12.5	<b>Solubility</b> Soluble in water.
<b>Specific Gravity</b> 1.03	<b>Flash Point</b> Not Applicable.
<b>Vapour Pressure</b> Not Available.	<b>Upper and Lower Flammability limits (in air)</b> Not Applicable.
<b>Vapour Density</b> Not Available.	<b>Ignition Temperature</b> Not Applicable.

### Section 10: STABILITY AND REACTIVITY

<b>Chemical Stability</b>	Stable under normal ambient storage conditions.
<b>Conditions to avoid</b>	Avoid high temperatures (store below 30°C). Protect against physical damage.
<b>Incompatible materials</b>	None known. Do not mix with other chemicals.
<b>Hazardous decomposition products</b>	None known.
<b>Hazardous reactions</b>	None known.

### Section 11: TOXICOLOGICAL INFORMATION

#### HEALTH EFFECTS

##### Acute

<b>Swallowed</b>	Considered an unlikely route of entry in commercial / industrial environments. May be irritating to gastro-intestinal tract.
<b>Eye</b>	May cause irritation and reddening.
<b>Skin</b>	May cause irritation.
<b>Inhaled</b>	None known.

##### Chronic

<b>Swallowed</b>	No effects known.
<b>Eye</b>	No effects known.
<b>Skin</b>	No effects known.
<b>Inhalation</b>	No effects known.

**TOXICITY DATA**

2-butoxyethanol	LD <sub>50</sub> 220mg/kg (intraperitoneal, rat)	RTECS KJ8575000
Propylene glycol monobutyl ether	LD <sub>50</sub> 5660µL/kg (oral, rat)	RTECS UA7700000
Dipropylene glycol monomethyl ether	LD <sub>50</sub> 5400µL/kg (oral, rat)	RTECS JM1575000
Benzyl alcohol	LD <sub>50</sub> 1360mg/kg (oral, mouse)	RTECS DN3150000
Monoethanolamine	LD <sub>50</sub> 1g/kg (oral, rabbit)	RTECS KJ5775000
Ammonia	LD <sub>50</sub> 350mg/kg (oral, rat)	RTECS BQ9625000

**Section 12: ECOLOGICAL INFORMATION**

**Ecotoxicity** Not known.

**Persistence and degradability** Not known.

**Mobility** Not known.

**Section 13: DISPOSAL CONSIDERATIONS**

**Disposal method** Refer to State/Territory Land Waste Management Authority. Dispose of material through a licensed waste contractor. Rinse empty containers thoroughly before recycling or disposing to an authorised landfill.

**Special precautions** Normally suitable for incineration by approved agent.

**Section 14: TRANSPORT INFORMATION**

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code).

**UN Number** Not applicable.

**UN Proper Shipping Name** Not applicable.

**Class and subsidiary risk** Not applicable.

**Packing Group** Not applicable.

**Special precautions for user** Not applicable.

**Hazchem Code** Not applicable.

**Section 15: REGULATORY INFORMATION**

Poisons Schedule (SUSDP): Schedule 5 – CAUTION

WARNING – Irritant.

SAFETY DIRECTIONS – Avoid contact with eyes and skin.

All ingredients are listed in the Australia Inventory of Chemical Substances (AICS).

**Section 16: OTHER INFORMATION**

**Prepared by:** K. Duncum  
**Position:** Quality Control Chemist

**Date of preparation:** 27 May, 2004

© This document remains property of Whiteley Corporation Pty Ltd.  
Alterations are not permitted without prior written authorisation  
from Whiteley Corporation Pty Ltd.